

Configure BasicOps for Single Sign-On

Configuring BasicOps for single sign-on (SSO) enables administrators to manage users of Citrix ADC. Users can securely log on to BasicOps by using the enterprise credentials.

Prerequisite

Browser Requirements: Internet Explorer 11 and above

To configure BasicOps for SSO by using SAML:

1. In a browser, type <https://www.basicops.com/> and press **Enter**.
2. Type your BasicOps domain name and click **Continue**.




Sign in

Enter your company's BasicOps URL:


.basicops.com

Continue

3. In the dashboard page, click **Admin** from the left pane.



4. In the Admin page, click the **Integrations** tab.



5. Scroll down and click **Add** in the **SAML** tile.

6. In the **Configure SAML Single Sign-on** pop-up window, enter the values for the following fields:

Required Information	Description
IdP SSO URL	IdP logon URL
IdP X509 Certificate	Copy and paste the IdP certificate. The IdP certificate must begin and end with -----Begin Certificate----- and -----End Certificate----- Note: The IdP metadata is provided by Citrix and can be accessed from the link below. The link is displayed while configuring SSO settings for your app. <a href="https://gateway.cloud.com/idp/saml/<citrixcloudcust id>/<app id>/idp_metadata.xml">https://gateway.cloud.com/idp/saml/<citrixcloudcust id>/<app id>/idp_metadata.xml
IdP Entity Id	Entity ID
Email Attribute	Email
First Name Attribute	FirstName
Last Name Attribute	LastName

×

Configure SAML Single Sign-on

IdP Metadata XML

IdP SSO URL

IdP Logout URL

IdP X509 Certificate

IdP Entity Id

Email Attribute

Email

First Name Attribute

FirstName

Last Name Attribute

LastName

Submit

Cancel

7. Finally, click **Submit**.