

Configure Bluejeans for Single Sign-On



1. Login to Bluejeans as an Admin user.



2. Go to **ADMIN** at the top panel > Select **GROUP SETTINGS** > Click on **SECURITY**.

Authentication Options

BlueJeans Password Configuration

1 O SAML Single Sign On

The following configuration will allow you to setup Single Sign On for your group. For more it PAGE

2 Enable automatic provisioning

Certificate Path 3

Currently:

Change: CHOOSE FILE

Login URL

URL for signing into the remote authentication system

https://ug1 ____.com/saml/login 4

Logout URL

URL to which a user is redirected to on logout

https://ug1. ___.com/cgi/logout 5

Custom Error Page URL

URL to which a user is redirected to on an error

Default URL: /sso/saml2/error/

SAML Meta Data

SAML Meta Data url for IdP initiated SSO

Max. Annualing new supervisions investigated 7

Copy to clipboard

RelayState

For IdP initiated SSO, configure your IdP with the following RelayState

April 1997 Programme Control of the Control of the

Copy to clipboard



3. **SECURITY** window will open > Fill the template with appropriate values.

Field Name	Values
SAML Single Sign On	Should be Checked.
Enable automatic provisioning	Should be Checked.
Certificate Path	Upload IdP certificate
Login URL	https://ug1. <customer_domain>.com/saml/login</customer_domain>
Password Change URL	https://ug1. <customer_domain>.com/cgi/logout</customer_domain>
Logout URL	https://ug1. <customer_domain>.com/cgi/logout</customer_domain>
Custom Error Page URL	Default <u>URL:/sso/saml2/error/</u> (It will auto generate)
SAML Meta Data	Default value will generate automatically
RelayState	Unique RelayState will generate automatically
Pick User Id from <saml2:nameid></saml2:nameid>	
element	Should be Checked.
Email	Email

4. Click on **SAVE CHANGES.**