

Configure DocBase for Single Sign-On


Configuring DocBase for single sign-on (SSO) enables administrators to manage users of Citrix ADC. Users can securely log on to DocBase by using the enterprise credentials.

Prerequisite


Browser Requirements: Internet Explorer 11 and above

To configure DocBase for SSO by using SAML:

1. In a browser, type https://docbase.io/users/sign_in and press **Enter**.
2. Type your DocBase admin account credentials (**Email** and **Password**) and click **Log in**.

A screenshot of the DocBase login interface. The background is a dark blue gradient with a faint image of a person. At the top left, the text "Log in" is displayed in a large, white, sans-serif font. Below this, the word "Email" is written in a smaller, white font. Underneath the email label is a white rectangular input field. Below the input field, the word "Password" is written in a smaller, white font. Underneath the password label is a white rectangular input field with a blue border and a series of dots for masking the password. At the bottom left, there is a blue rectangular button with the text "Log in" in white.


3. In the homepage, click **To the team** and select the organization.



4. In the dashboard page, click the settings icon in the left pane.



5. Scroll down and click **Single sign-on** in the left pane.



6. In the **Single sign-on** page, enter the values for the following fields:

Required Information	Description
Entity ID	Entity ID
Target URL	IdP logon URL
IdP Certificate	<p>Copy and paste the IdP certificate. The IdP certificate must begin and end with -----Begin Certificate----- and -----End Certificate-----</p> <p>Note: The IdP metadata is provided by Citrix and can be accessed from the link below. The link is displayed while configuring SSO settings for your app.</p> <p><a href="https://gateway.cloud.com/idp/saml/<citrixcloudcust id>/<app id>/idp_metadata.xml">https://gateway.cloud.com/idp/saml/<citrixcloudcust id>/<app id>/idp_metadata.xml</p>

Single sign-on Enabled

STEP 1 Upload the ID provider metadata

Download the SAML metadata from your ID provider and upload through the form below. Or you can set it manually via the form.

Choose File

No file chosen


Entity ID

Target URL

IdP Certificate

STEP 2 Download the service provider's (DocBase) metadata


Download the SAML metadata from the following link.

 [SAML metadata download](#)

NameID Format
urn:oasis:names:tc:SAML:1.1:nameid-format:emailAddress

Binding
urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST

Assertion Consumer Service URL
<https://docbase.io/saml/acs>

Issuer
 docbase.io

STEP 3 Enable single sign-on

Check the following box and click on "configure" to complete single sign-on configuration.

☒ Enabled

Configure

Note: Note down the SP details for IdP configuration.

7. Enable the single sign-on check box and click **Configure**.