

# Configure YARooms for Single Sign-On

Configuring YARooms for single sign-on (SSO) enables administrators to manage users of Citrix ADC. Users can securely log on to YARooms by using the enterprise credentials.

## Prerequisite

Browser Requirements: Internet Explorer 11 and above

## To configure YARooms for SSO by using SAML:

1. In a browser, type <https://www.yarooms.com/login> and press **Enter**.
2. Enter your team's domain and click **Continue**.



Sign in to **your YARooms account**  
Let's find your YARooms domain


Enter your team's domain \*

.yarooms.com

Don't remember the domain?  
[Find it now](#)

**Continue**

3. Type your YARooms admin account credentials (**Email** and **Password**) and click **Login**.



Login to your account

Email

Password

Remember me for 30 days

**Login**

[Forgot password?](#)  
[Need help?](#)

4. In the dashboard page, click **Manage > Integrations** from the left pane.

The screenshot shows the YAROOMS dashboard. The left sidebar contains a 'Manage' menu with 'Integrations' highlighted. The main content area displays a 'Week Schedule' for 'Salt Lake' (1 room) from Monday, 29 Apr to Sunday, 05 May. The calendar shows zero meetings for all days. A search bar at the top right contains the text 'Search for meetings'. A 'Display settings' link is visible at the bottom of the calendar area.

5. In the **External Integrations** page, scroll down and click **Configure SAML** under **SAML 2.0 Authentication**.

The screenshot shows the 'External integrations' page. The left sidebar has 'Integrations' highlighted. The main content area features three sections: 'SAML 2.0 Authentication', 'Login with Google', and 'Register Page'. The 'SAML 2.0 Authentication' section includes a description and a 'Configure SAML' button, which is circled in red. The 'Login with Google' section includes a description and a 'Configure Google Auth' button. The 'Register Page' section includes a description and a 'Manage Settings' button. Below these are sections for 'Public Access', 'YARooms Door for', and another 'YARooms Door for' section.

6. In the **SAML Integrations** page, click the **Connection** tab and enter the values for the following fields:

Required Information	Description
Identity Provider	Citrix NetScaler
Issuer URL	Entity ID
SAML Endpoint	IdP logon URL
X.509 Certificate	Copy and paste the IdP certificate. The IdP certificate must begin and end with -----Begin Certificate----- and -----End Certificate----- <b>Note:</b> The IdP metadata is provided by Citrix and can be accessed from the link below. The link is displayed while configuring SSO settings for your app. <a href="https://gateway.cloud.com/idp/saml/&lt;citrixcloudcust id&gt;/&lt;app id&gt;/idp_metadata.xml">https://gateway.cloud.com/idp/saml/&lt;citrixcloudcust id&gt;/&lt;app id&gt;/idp_metadata.xml</a>
Name ID Format	emailAddress

SAML integration

Search for meetings ?

Status
Connection
User options
Application details

Identity Provider	<input type="text" value="Citrix NetScaler"/>	[?]
Issuer URL	<input type="text" value="REDACTED"/>	or Entity ID [?]
SAML Endpoint	<input type="text" value="REDACTED"/>	[?]
X.509 Certificate	<input type="text" value="-----BEGIN CERTIFICATE-----"/>	in PEM Format [?]
Name ID Format	<input type="text" value="emailAddress"/>	[?]

- Enter the values for the following fields under **Attributes Mapping**:

IdP Field Name	YArooms Mapping
firstName	First Name
lastName	Last Name
email	Email Address

**Attributes Mapping**  
Map fields to be parsed in the response from the Identity Provider

IDP Field Name	YArooms Mapping	
firstName	First Name	✘
lastName	Last Name	✘
email	Email Address	✘

- Add field to the list -

Save Connection Settings Cancel

- Click **Save Connection Settings**.
- Click the **User options** tab and enter the values for the following fields:

Required Information	Description
User group	Select <b>Administrator</b> from the drop-down list.

SAML integration Search for meetings ?

Status Connection **User options** Application details

The first time a user authenticates with his domain credentials, a YArooms user is created to keep track of its activity. The fields below are the default values for these new users.

User group Administrator

Location Salt Lake

Save User options Cancel

- Click **Save User options**.

11. Click the **Application details** tab.

The screenshot shows a web interface for SAML integration. At the top, there is a header with the title "SAML integration" and a search bar containing the text "Search for meetings". Below the header is a navigation bar with four tabs: "Status", "Connection", "User options", and "Application details". The "Application details" tab is selected and highlighted with a red border. The main content area displays the text "Application details for configuring the Identity Provider." followed by several input fields:

- ACS (Consumer) URL:
- ACS (Consumer) URL Validator:
- Relay State:
- Entity ID:

At the bottom left of the form, there is a "Cancel" button.

**Note:** Note down the **ACS (Consumer) URL**, **Relay State**, and **Entity ID** for IdP configuration.