

# XenServer Configuration Limits

Citrix® XenServer 6.1.0

---

Citrix recommends using the following configuration limits as a guideline when selecting and configuring your virtual and physical environment for XenServer. The following information represents tested and recommended configuration limits that are fully supported by Citrix for XenServer.

- [Virtual Machine Limits](#)
- [XenServer Host Limits](#)
- [Resource Pool Limits](#)

Factors such as hardware and environment can affect the limitations listed below. More information about supported hardware can be found on the Citrix [XenServer Hardware Compatibility List](#). Consult your hardware manufacturers' documented limits to ensure you do not exceed the supported configuration limits for your environment. Refer to the [XenServer Technical Specifications](#) and [XenServer White Papers](#) for the latest technical specifications, platform requirements and white papers on capacity planning and performance testing completed for XenServer.

## Virtual Machine Limits

Item	Limit
<b>Compute</b>	
Virtual CPUs per Virtual Machine	16
<b>Memory</b>	
RAM per Virtual Machine	128GB <sup>1</sup>
<b>Storage</b>	
Virtual Disk Images (VDI) (including CD-ROM) per Virtual Machine	7 <sup>2</sup>
Virtual CD-ROM drives per Virtual Machine	1
Virtual Disk Size (NFS)	2TB minus 4GB
Virtual Disk Size (LVM)	2TB minus 4GB
<b>Networking</b>	
Virtual NICs per Virtual Machine	7 <sup>3</sup>

---

<sup>1</sup> The maximum amount of physical memory addressable by your operating system varies. Setting the memory to a level greater than the operating system supported limit, may lead to performance issues within your guest. Some 32-bit Windows operating systems can support more than 4 GB of RAM through use of the physical address extension (PAE) mode. The limit for 32-bit PV Virtual Machines is 64GB. Please consult your guest operating system Administrators Guide and the XenServer Virtual Machine User's Guide for more details.

<sup>2</sup> This number is not programmatically enforced, but is the supported limit. Customers can configure up to 16 VDIs using the xe Command Line Interface (CLI), but this is not a supported configuration.

<sup>3</sup> SLES 10 SP1 and RHEL 4.x support 3 NICs. Oracle, CentOS 5.1/5.2, and RHEL 5.1/5.2 support 3, but can support 7 NICs once the XenServer Tools are installed.

## XenServer Host Limits

Item	Limit
<b>Compute</b>	
Logical processors per host	160 <sup>4</sup>
Virtual CPUs per host	900 <sup>5</sup>
Concurrent VMs per host	150 <sup>6</sup>
Concurrent XenDesktop VMs per host	150 <sup>5</sup>
Concurrent PVS VMs per host	150 <sup>5</sup>
Concurrent XenDesktop VMs using IntelliCache per host	150 <sup>5</sup>
Concurrent protected VMs per host with HA enabled	60
<b>Memory</b>	
RAM per host	1 TB <sup>7</sup>
<b>Storage</b>	
Concurrent active virtual discs per host	512
<b>Networking</b>	
Physical NICs per host	16
Physical NICs per network bond	4
Virtual NICs per host	512
VLANs per host	800
<b>Pass-through</b>	
GPUs per host	4

<sup>4</sup> The maximum amount of logical physical processors supported differs by CPU. Please consult the XenServer Hardware Compatibility List for more details on the maximum amount of logical cores supported per vendor and CPU.

<sup>5</sup> Each plugged VBD or VIF reduces this number by 1. Every running VM reduces this number by 2.

<sup>6</sup> For systems running more than 50 VMs it is recommended that up to 2940 MB RAM is allocated to dom0 (See CTX134951 for more details). The maximum number of VMs/host supported is dependent on Virtual Machine workload, system load, and certain environmental factors. Citrix reserves the right to determine what specific environmental factors affect the maximum limit at which a system can function.

<sup>7</sup> If a host has one or more 32-bit paravirtualized guests (Linux Virtual Machines) running then a maximum of 128 GB RAM is supported on the host.

## Resource Pool Limits

Item	Limit
<b>Compute</b>	
Hosts per resource pool	16
<b>Networking</b>	
VLANS per resource pool	800
Active hosts per cross-server private network	16
Cross-server private networks per resource pool	16
Virtual NICs per cross-server private network	16
Cross-server private network virtual NICs per resource pool	256
Hosts per vSwitch controller	64
Virtual NICs per vSwitch controller	1024
Virtual Machines per vSwitch controller	1024
<b>Disaster Recovery</b>	
Concurrent exports via Virtual Machine Protection Recovery	2
Integrated Site Recovery storage repositories per resource pool	8
<b>Storage</b>	
Paths to a LUN	8
Multi-pathed LUNs per host	150
VDIs per SR	600
<b>Storage XenMotion</b>	
(non-CDROM) VDIs per VM	6
Snapshots per VM	1
Concurrent transfers	3
<b>XenCenter</b>	
Concurrent operations per pool	25

If you have any comments about this documentation, submit your feedback to: [xenserverlimits@citrix.com](mailto:xenserverlimits@citrix.com).

### About Citrix

Citrix Systems, Inc. (NASDAQ:CTXS) transforms how businesses and IT work and people collaborate in the cloud era. With market-leading cloud, collaboration, networking and virtualization technologies, Citrix powers mobile workstyles and cloud services, making complex enterprise IT simpler and more accessible for 260,000 organizations. Citrix products touch 75 percent of Internet users each day and it partners with more than 10,000 companies in 100 countries. Annual revenue in 2011 was \$2.21 billion. Learn more at [www.citrix.com](http://www.citrix.com)

The copyright in this report and all other works of authorship and all developments made, conceived, created, discovered, invented or reduced to practice in the performance of work during this engagement are and shall remain the sole and absolute property of Citrix, subject to a worldwide, non-exclusive license to you for your internal distribution and use as intended hereunder. No license to Citrix products is granted herein. Citrix products must be licensed separately. Citrix warrants that the services have been performed in a professional and workman-like manner using generally accepted industry standards and practices. Your exclusive remedy for breach of this warranty shall be timely re-performance of the work by Citrix such that the warranty is met. THE WARRANTY ABOVE IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE WITH RESPECT TO THE SERVICES OR PRODUCTS PROVIDED UNDER THIS AGREEMENT, THE PERFORMANCE OF MATERIALS OR PROCESSES DEVELOPED OR PROVIDED UNDER THIS AGREEMENT, OR AS TO THE RESULTS WHICH MAY BE OBTAINED THEREFROM, AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR AGAINST INFRINGEMENT. Citrix' liability to you with respect to any services rendered shall be limited to the amount actually paid by you. IN NO EVENT SHALL EITHER PARTY BE LIABLE TO THE OTHER PARTY HEREUNDER FOR ANY INCIDENTAL, CONSEQUENTIAL, INDIRECT OR PUNITIVE DAMAGES (INCLUDING BUT NOT LIMITED TO LOST PROFITS) REGARDLESS OF WHETHER SUCH LIABILITY IS BASED ON BREACH OF CONTRACT, TORT, OR STRICT LIABILITY. Disputes regarding this engagement shall be governed by the internal laws of the State of Florida.

851 West Cypress Creek Road Fort Lauderdale, FL 33309 954-267-3000 <http://www.citrix.com>

Copyright © 2012 Citrix Systems, Inc. All rights reserved. Citrix, the Citrix logo, Citrix ICA, Citrix XenDesktop, and other Citrix product names are trademarks of Citrix Systems, Inc. All other product names, company names, marks, logos, and symbols are trademarks of their respective owners.