CITRIX®

NetScaler with Unified Gateway

Configuring Bluejeans

Contents

CONTENTS	1
DISCLAIMER (DOCUMENTATION)	2
PREFACE	3
OVERVIEW	4
CONFIGURING BLUEJEANS FOR SINGLE SIGN-ON	5

Disclaimer (Documentation)

This document is furnished "AS IS." Citrix Systems, Inc. disclaims all warranties regarding the contents of this document, including, but not limited to, implied warranties of merchantability and fitness for any particular purpose. This document may contain technical or other inaccuracies or typographical errors. Citrix System, Inc. reserves the right to revise the information in this document at any time without notice. This document and the software described in this document constitute confidential information of Citrix Systems, Inc. and its licensors, and are furnished under a license from Citrix Systems, Inc.

Citrix Systems, Inc., the Citrix logo, and Citrix Provisioning Services are trademarks of Citrix Systems, Inc. and/or one or more of its subsidiaries, and may be registered in the United States Patent and Trademark office and in other countries. All other trademarks and registered trademarks are property of their respective owners.

Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Preface

This section provides an overview about the information included in this guide.

Intended Audience

The information in this guide is intended for the System Administrators.

Document Conventions

The following table lists various conventions used in this guide.

Table 1: Document conventions used in this guide

Convention	Description
Bold	Used for names of interface elements (such as names of fields, panes, windows, menus, buttons, dialog boxes) and what the user specifically selects, clicks, presses, or types.
Note	Used to highlight information that is important.

Overview

The Citrix NetScaler application delivery controller (ADC) helps to load balance, accelerate, optimize, and secure enterprise applications.

Bluejeans can be integrated with Identity Provider (IdP) for user authentication. This enable the users to sign in to Bluejeans using the same Single Sign On (SSO).

Terminology

An Identity Provider (IdP) provides authentication module to verify users with their corporate network. A Service Provider (SP) supports receiving SSO SAML assertions.

The following table lists various terms that are used alternatively for completing configurations for service providers and identity providers.

Table 2: Terminology used for SP and IdP configurations

Service Provider (SP)	Identity Provider (IdP)
Identity Provider Issuer	Issuer Name
SP Entity ID	Service Provider ID
SP Assertion Consumer Service URL	Assertion Consumer Service URL

Configuring Bluejeans for Single Sign-On

Bluejeans has SP/IdP initiated flow, which is supported in NetScaler (12.1.).

Before you start, you need the following:

- Admin account for Bluejeans
- Customer instance

For example, if your deployment url https://<company_domain>.bluejeans.com/, your customer instance is <customer domain>.


Admin account for NetScaler is required for App Catalog creation in NetScaler.

The Bluejeans configuration steps are as follows:

- 1. Configure Bluejeans with the App Catalog.
- 2. Configure IdP into Bluejeans.
- 3. Relay State in Bookmarks.

Step 1: Configure Bluejeans with App Catalog

1. Click on Unified Gateway > Authentication.




The **Unified Gateway Configuration** screen appears.


Applications /

Applications +


2. Go to **Applications** section. Click on / icon. Now, you can see icon. Click on it. The **Application** window appears.



- 3. Select **SaaS** from the Application type.
- 4. Select **Bluejeans** from the drop-down list.



5. Fill the application template with the appropriate values.




6. You must update the fields in NetScaler with the following values:


Field Name	Values
	https:// <company_domain>.bluejeans.com/enterprise-</company_domain>
URL	admin/#onboarding
Service Provider ID	http://samlsp.bluejeans.com
Signing Certificate Name	IdP certificate needs to be selected
Issuer Name	Issuer name can be filled as per your choice

- 7. In place of <customer domain>, enter your company name (See **Introduction** to know more about the <customer domain> value.)
- 8. After providing the required values, click **Continue**. Click **Done**.

Step 2: Configure IdP into Bluejeans



1. Login to Bluejeans as an Admin user.



2. Go to **ADMIN** at the top panel > Select **GROUP SETTINGS** > Click on **SECURITY**.

Authentication Options

BlueJeans Password Configuration

1 SAML Single Sign On

The following configuration will allow you to setup Single Sign On for your group. For more in PAGF

PAGE

2 Enable automatic provisioning

Certificate Path 3

Currently:

Change: CHOOSE FILE

Login URL

URL for signing into the remote authentication system

https://ug1 .com/saml/login 4

Logout URL

URL to which a user is redirected to on logout

https://ug1. ____.com/cgi/logout 5

Custom Error Page URL

URL to which a user is redirected to on an error

Default URL: /sso/saml2/error/ 6

SAML Meta Data

SAML Meta Data url for IdP initiated SSO

May delegant our separation removal of 7

Copy to clipboard

RelayState

For IdP initiated SSO, configure your IdP with the following RelayState



Copy to clipboard




3. **SECURITY** window will open > Fill the template with appropriate values.

Field Name	Values
SAML Single Sign On	Should be Checked.
Enable automatic provisioning	Should be Checked.
Certificate Path	Upload IdP certificate
Login URL	https://ug1. <customer_domain>.com/saml/login</customer_domain>
Password Change URL	https://ug1. <customer_domain>.com/cgi/logout</customer_domain>
Logout URL	https://ug1. <customer_domain>.com/cgi/logout</customer_domain>
Custom Error Page URL	Default <u>URL:/sso/saml2/error/</u> (It will auto generate)
SAML Meta Data	Default value will generate automatically
RelayState	Unique RelayState will generate automatically
Pick User Id from <saml2:nameid></saml2:nameid>	
element	Should be Checked.
Email	Email

Note: Copy the RelayState for further use as it need to be used in IdP.

4. Click on SAVE CHANGES.


Step 3: Relay State in Bookmarks.




1. Click on NetScaler Gateway > Resources > Bookmarks.



2. Bookmarks window will open > Click on Bluejeans.



3. **Configure Bookmark** window will open > Click on of the field **SAML SSO Profile.**



- 4. Pop-up window will open > Paste the Relay State (As shown in Step 2).
- 5. Click on OK.