

Download:

[PDF](#)

[EMAIL](#)

[PRINT](#)

# Provisioning Services 7.13

Feb 22, 2017

[New in this  
Release](#)

[Fixed issues](#)

[Known issues](#)

[Features removed from  
future releases](#)

[System  
requirements](#)

[Provisioning  
Services product  
overview](#)

[Provisioning Services  
product infrastructure](#)

[Provisioning Services  
administrator roles](#)

[Product utilities](#)

[Managing vDisks](#)

[Creating vDisks](#)

[Prerequisites for deploying  
vDisks](#)

[Configuring the vDisk  
access mode](#)

[Selecting the write cache  
destination for standard  
vDisk images](#)

[Configuring a vDisk for  
Microsoft Volume  
Licensing](#)

[Managing load balancing  
across servers](#)

[Support for replicated  
vDisk storage](#)

[Exporting and importing  
vDisks](#)

[Releasing vDisk locks](#)

[Copying and pasting vDisk](#)

# Upgrading a Provisioning Services farm

Upgrading Provisioning Servers

Upgrading vDisks

# Installing and configuring Provisioning Services

Pre-installation tasks

Licensing

Upgrading a Provisioning Services target device vDisk using in-place upgrade

Configuring UEFI pre-boot environments

Installing Provisioning Services Server software

Configuring the farm

Running the Configuration Wizard silently

Installing Provisioning Services Console software

Adding additional Provisioning Servers

Preparing a master target

properties

Adding existing vDisks to a vDisk pool or store

Backing up a vDisk

Viewing vDisk usage

Deleting cache on a difference disk

vDisk properties

Assigning vDisks and versions to target devices

Updating vDisks

Retiring or deleting vDisks

# Managing device collections

Device collection properties

Creating a device collection

Importing target devices into a collection

Deleting a collection

Refreshing a collection in the console

Booting target devices within a collection

Restarting target devices within a collection

Shutting down target

[device for imaging](#)

[Using the Imaging Wizard to create a new vDisk](#)

[Assigning vDisks to target devices](#)

[Uninstalling Provisioning Services product software](#)

[Configuring the bootstrap file from the console](#)

[Getting the bootstrap file](#)

[Using the Manage Boot Devices utility](#)

[CIS Problem Reporting](#)

[Enable SQL Server Always On multi-subnet failover](#)

[About SAN policies](#)

[Configure Linux Streaming](#)

[Configure PVS-Accelerator](#)

[Using the Provisioning Services Console](#)

[Performing tasks in the Console](#)

[Managing farms](#)

[Farm properties](#)

[Farm tasks](#)

[devices within a collection](#)

[Sending messages to target devices within a collection](#)

[Moving collections within a site](#)

[Managing views](#)

[View properties](#)

[Managing views in the console](#)

[Managing for highly available implementations](#)

[Offline database support](#)

[Database mirroring](#)

[SQL AlwaysOn for SQL Server 2012, 2014, and 2016](#)

[Provisioning Server failover](#)

[Configuring for high availability with shared storage](#)

[Configuring the boot file for high availability](#)

[Managing sites](#)

[Managing administrative roles](#)

[Managing farm administrators](#)

[Managing site administrators](#)

[Managing device administrators](#)

[Managing device operators](#)

[Managing stores](#)

[Managing Provisioning Servers](#)

[Provisioning Servers in the console](#)

[Provisioning Server properties](#)

[Overview of Provisioning Server tasks](#)

[Copying and pasting Provisioning Server properties](#)

[Deleting a Provisioning Server](#)

[Configuring vDisks for Active Directory management](#)

[Managing domain passwords](#)

[Enabling domain management](#)

[Managing domain computer accounts](#)

[Network components](#)

[Preparing network switches](#)

[Using UNC names](#)

[Reducing network utilization](#)

[Managing Roaming User Profiles](#)

[Booting through a router](#)

[Managing multiple network interface cards](#)

[Updating NIC drivers](#)

[Managing printers](#)

[Installing printers on a vDisk](#)

[Enabling or disabling](#)

[Starting, stopping, or restarting Provisioning Services](#)

[Showing Provisioning Server connections](#)

[Balancing the target device load on Provisioning Servers](#)

[Checking for Provisioning Server vDisk access updates](#)

[Configuring Provisioning Servers manually](#)

[Disabling write cache to improve performance when using storage device drives](#)

[Providing Provisioning Servers with access to stores](#)

[Managing target devices](#)

[Configuring the BIOS-embedded bootstrap](#)

[Adding target devices to the database](#)

[Setting the target device as the template for this collection](#)

[Copying and pasting target device properties](#)

[printers on a vDisk](#)

[Methods for enabling printers on a vDisk](#)

[Enabling the Printer Management feature](#)

[Using the Streamed VM Setup Wizard](#)

[Deploying virtual desktops to VMs](#)

[Using the XenDesktop Setup Wizard](#)

[Provisioning vGPU-enabled XenDesktop machines](#)

[Configuring Personal vDisks](#)

[Logging](#)

[Auditing](#)

[APIs](#)

[Booting target devices](#)

[Checking a target device's status from the console](#)

[Sending messages to target devices](#)

[Disabling a target device](#)

[Deleting target devices](#)

[Shutting down target devices](#)

[Restarting target devices](#)

[Moving target devices between collections](#)

[Using the Status Tray on a target device](#)

[Managing target device Personality](#)

[Changing the device status to Down](#)

[Target device properties](#)

[Configuring target devices that use personal vDisks](#)

[Citrix SCOM Management Pack for Provisioning Services](#)

**Was this helpful?**

Yes  No

[Give us your feedback](#)

